

		Stelos 800 L	Siros S / Siros L	Unilite lamp	Pulso G lamp	Picolite lamp with Pulso adapter	LED F160	Pulso L lamp
Reflectors	Standard reflector L40	●	●		●	●	●	
	Standard reflector P70	●	●	●	●3	●	●	●
	Standard reflector P65	●	●	●1	●3	●	●	●
	Narrow angle reflector P45	●	●	●	●3	●	●	●
	Narrow angle reflector P50	●	●	●1	●3	●	●	●
	Softlight reflector P	●	●	●	●	●	●8	●
	Beauty Dish reflector	●	●	●	●	●	●8	●
	Wide angle reflector P120	●	●	●	●	●	●2	●
	Wide angle umbrella reflector Ø 120 mm	●						
	Umbrella reflector Ø 120 mm						●	●
	PAR reflector	●2	●2	●4	●4		●2	●
	P-Travel reflector	●	●	●	●	●	●	●
	Conical snoot	●	●	●	●	●	●	●
	UV attachment	●5	●5	●5	●5			●
	Umbrella reflector	●	●	●	●		●2	●
Spot attachment	●	●	●	●		●2	●	
Sunlite-Set			●	●				
broncolor Flooter	●	●	●	●		●	●	
Para 88 reflector / P Kit	●7	●7	●	●	●	●	●	
Para 133 reflector / P Kit	●7	●7	●	●	●	●	●	
Para 177 / 222	●7	●7	●	●	●	●	●	
Softboxes	35 × 60	●	●	●	●	●1	●	●
	60 × 60	●	●	●	●	●1	●	●
	60 × 100	●	●	●	●	●1	●	●
	100 × 100	●	●	●	●	●1	●	●
	30 × 120	●	●	●	●	●	●	●
	90 × 120	●	●	●	●	●	●	●
	30 × 180	●	●	●	●	●	●	●
Octaboxes	120 × 180	●	●	●	●	●	●	●
	Ø 75	●	●	●	●	●1	●	●
Beautybox 65	Ø 150	●	●	●	●	●1	●	●
	Ø 65	●	●	●	●	●	●	●
Special effect lamps	Balloon	●	●	●6	●6	●	●	●
	Litepipe P	●	●4	●4	●4		●	●

- recommended combination
- not recommended combination
- 1 centre-focus light
- 2 non-optimized illumination
- 3 adjustable illumination, heavily centre-focused till uniform
- 4 with mat protecting glass
- 5 remove protecting glass
- 6 no modelling light
- 7 in combination with focusing tube and 33.489.00
- 8 use defocused position

archived broncolor LIGHT SHAPERS IN COMBINATION WITH LAMPS (discontinued products)

		Siros / Siros S / Siros L	Litos lamp / MobilLED	Unilite lamp	Pulso G lamp	Pulso-Twin lamp	Picolite with Pulso adapter	Ringflash P lamp	HMI F200	HMI F400	HMI F575.800	LED F160	
Reflectors	Standard reflector L40	●	●				●					●	
	Standard reflector P70	●	●	●	●3	●	●		●	●	●12	●	
	Standard reflector P65	●	●1	●1	●3	●	●		●	●	●12	●	
	Narrow angle reflector P45	●	●	●	●3	●	●		●	●	●	●	
	Narrow angle reflector P50	●	●1	●1	●3	●	●		●	●	●3	●	
	Softlight reflector P	●	●	●	●		●		●	●	●	●15	
	Beauty Dish reflector	●	●	●	●	●	●		●	●	●	●15	
	Wide angle reflector P120	●	●	●	●	●	●		●	●	●	●2	
	PAR reflector	●2	●6	●6	●6				●	●	●	●2	
	P-Travel reflector	●	●	●	●	●	●		●	●	●	●	
	Conical snoot	●	●	●	●	●	●		●	●	●	●	
	UV attachment	●7	●7	●7	●7	●4			●9	●	●	●	
	Umbrella reflector	●	●	●	●	●			●	●	●	●2	
	Spot attachment	●	●	●	●				●	●	●	●2	
	Sunlite-Set		●	●	●								
	broncolor Flooter	●	●	●	●	●2			●2	●2	●	●	
	Mini-Satellite			●5	●	●	●		●	●	●		
	Satellite Staro	●	●	●	●	●4	●1		●	●	●	●	
	Para 88 reflector / P Kit	●11	●	●	●	●	●	●	●16	●16	●16	●	
	Para 133 reflector / P Kit	●11	●	●	●	●	●	●	●16	●16	●16	●	
Para 177 / 222	●11	●	●	●	●	●	●	●9	●9	●13	●		
Softboxes	35 x 60	●	●	●	●	●	●1		●	●	●	●	
	60 x 60	●	●	●	●	●	●1		●	●	●	●	
	60 x 100	●	●	●	●	●	●1		●	●	●	●	
	100 x 100	●	●	●	●	●	●1		●	●	●	●	
	30 x 120	●	●	●	●	●	●		●	●	●	●	
	90 x 120	●	●	●	●	●	●		●	●	●	●	
	30 x 180	●	●	●	●	●	●		●	●	●	●	
	120 x 180	●	●	●	●	●	●		●	●	●	●	
Softbox Flex	70 x 70	●	●	●	●	●	●		●	●	●	●	
Octaboxes	Ø 75	●	●	●	●	●	●1		●	●	●	●	
	Ø 150	●	●	●	●	●	●1		●	●	●	●	
Beautybox 65	Ø 65	●	●	●	●	●	●		●	●	●	●	
Special effect lamps	Balloon	●	●	●8	●8	●8	●		●	●	●	●	
	HazyLight-Soft			●	●				●	●	●	●2	
	Litepipe P	●6	●6	●6	●6							●	
	Litepipe for HMI F400								●14				

- recommended combination
- not recommended combination
- **use forbidden!**

- 1 centre-focus light
- 2 non-optimized illumination
- 3 adjustable illumination, heavily centre-focused till uniform up to 3200 J
- 4 with Unilite holder 35.213.00
- 5 with mat protecting glass
- 6 remove protecting glass

- 8 no modeling light
- 9 in combination with 33.489.01
- 10 in combination with 33.489.00
- 11 in combination with focusing tube and 33.489.00
- 12 adjustable illumination, centre-focused till uniform
- 13 in combination with 33.489.07
- 14 in combination with PAR reflector 43.170.00
- 15 use defocused position
- 16 for sizes 88 and 133 the HR versions must be used

This matrix illustration shows the extent to which a specific device combination is compatible.

<i>power pack</i> <i>lamp</i>	<i>Satos power supply operation</i>	<i>Satos battery mode</i>	<i>Scoro S / E & Grafit</i>	<i>Move</i>	<i>Senso</i>
<i>Pulso L</i>	✓	✓	(M)*	(M)	(M)*
<i>Pulso G</i>	✓	(M)	✓	(M)	✓
<i>Unilite</i>	✓	(M)	✓	(M)	✓
<i>Picolite</i>	✓	(M)	✓	(M)	✓
<i>MobiLED</i>	X	X	(M)	✓	(M)
<i>Ringflash</i>	✓	(M)	✓	(M)	✓
<i>Pulso Twin</i>	✓	(M)	✓	(M)	✓
<i>Pulso Spot 4</i>	✓	(M)	✓	(M)	✓
<i>Litos</i>	X	X	X	(M)	✓

Legend:

✓
= fully compatible
(Flash | modeling light: full functionality, including proportionality)

(M)
= with limitations
(Flash | no modeling light | no fan)

(M)*
= with limitations
(Flash | no modeling light | fan: yes)

X
= not compatible
(- | -)

Compatibility List

**Pay attention: Never overload 1600J flash tubes with more power!!! Don't use lamps which are older than 40 years!!!
The fan of battery lamps won't work with studio power packs!!! The fan of studio lamps won't work with "battery mode" or "battery power packs"!!!**

Power Pack Lamp	Max Energy	Move 1200L Battery power pack	Mobil A2R/L 1200J Battery power pack	Mobil with Studio Booster Studio pack	Senso A2/A4 1200/2400 Studio pack	Grafit A2/A4 Scoro A/E/S 1600/3200 Studio pack	Verso A2/A4 Studio pack and Power Dock	Primo /4/A Topas A2/A4 Nano 2/A4 Opus 2/4/A2/A4 Pulso 2/4/A2/A4	Topas A8 Evolution Opus 8, Pulso 8 Studio pack	Satos 1600/3200 with power supply Studio pack	Satos 1600/3200 battery mode
Battery lamps											
Mobilite	1600J	Flash/Mod. max.50W	Flash/Mod.	Flash no fan	Flash 1600J no fan	Flash 1600J no fan	Flash 1600J no fan	Flash 1600J no fan	no	no	no
Mobilite2	1600J	Flash/Mod. max.50W	Flash/Mod.	Flash no fan	Flash 1600J no fan	Flash 1600J no fan	Flash 1600J no fan	Flash 1600J no fan	no	no	no
MobilED	1600J	Flash/Mod.	Flash/Mod.	Flash no fan	Flash 1600J no fan	Flash 1600J no fan	Flash 1600J no fan	Flash 1600J no fan	no	no	no
Studio lamps											
Litos	2400J	Flash no fan	no	no	Flash/Mod.	no	no	no	no	no	no
<u>Speed charge on Grafit, Scoro and Satos only with flash tube ex 2009</u>											
Pulso L	1600J/3200J	no	no	no	Flash, fan ON	Flash, fan ON	Flash, fan ON	no	no	Flash/Mod.	Flash/Mod.
Unilite	1600J/3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	Flash/Mod.	Flash no fan
Pulso 2/4/F2/F4/G	1600J/3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	Flash/Mod.	Flash no fan
Hazy 2/4	1600J/3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	no	no
<u>After modification ex 2007</u>											
Ringflash P/C	3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	Flash/Mod.	Flash no fan
<u>Only slow charge on Grafit, Scoro and Satos Speed charge is not allowed!!!</u>											
Pulso Twin	2 x 3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash no fan
Primo 2/4	1600J/3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	no	no
Lightbar	3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	tba	tba
Striplite	3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	tba	tba
Pulso-Spot 4	3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	Flash/Mod.	Flash no fan
Picolite	1600J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	Flash/Mod.	Flash no fan
Boxlite	3200J	Flash no fan	Flash no fan	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	Flash/Mod.	only asym. mode	tba	tba
Litestick (no Modelling)	3200J	Flash no fan	Flash no fan	Flash no fan	Flash no fan	Flash no fan	Flash no fan	Flash no fan	asym.mode no fan	tba	tba
Hazy 8 /Pulso 8	6400J	no	no	no	no	no	no	no	Flash/Mod.	no	no